~ .	7.4	Description ()
Set		Description OP CURPONIUM OR CORPUM OR CORPUM OR CORPUM
S1	77415	(METAL OR ALUMINUM OR CHROMIUM OR COBALT OR COPPER OR CUPR-
		OR SILICON ZINC OR NICKEL OR TIN OR MAGNESIUM OR SILVER OR
		ON OR SODIUM OR POTASSIUM OR MANGANESE OR TITANIUM OR CERIUM
	01	R MOLYBDENUM) (4N) (SALT OR SALTS)
S2	41384	(AL OR CR OR CO OR CU OR SI OR SILICON OR ZINC OR ZN OR NI
	OR	SN OR MG OR AG OR FE OR NA OR K OR MN OR TI OR CE OR MO) (-
	4N) (SALT OR SALTS)
S3	103027	S1 OR S2
S4	43945	PEROXIDE?
S 5	6283	H (2W) O
S6	3117	S3 AND (S4 OR S5)
s7	347865	COLOR? OR COLOUR? OR DYE? OR DECOLOR? OR DECOLOUR? OR BLEA-
CH?		
S8	616	S6 AND S7
S 9	4453834	TWO OR "2" OR SEQUENTIAL? OR FIRST?
S10		PRETREAT? OR POSTTREAT? OR ((PRE OR POST) (W) TREAT?) OR A-
FTER?		
S11		S8 AND (S9 OR S10)
S12		WOOD? OR LEATHER? OR HAIR? OR KERATIN? OR WOOL? OR COTTON?
312		PAPER? OR CELLULOS? OR PLASTIC? OR FABRIC OR FABRICS
C13		S11 AND S12
S13	103	SII MAD SIG

•

3 2 2

```
13/4/163
DIALOG(R) File 351: DERWENT WPI
(c) 1998 Derwent Info Ltd. All rts. reserv.
AA- 70-83342R/197045|
TI- Bleaching hair or wool after salt pre-
    treat- - ment|
PA- GILLETTE CO (GILL ) |
NC- 005|
NP- 006|
                                                                    197045 B
PN- DE 2021099 A
                                                                    197114
PN- FR 2040414 A
                                                                    197206
PN- US 3632295 A
                                                                    197224
PN- GB 1277541 A
                                                                    197227
PN- CA 902862
                                                                    197345|
PN- DE 2021099 B
AN- <PR> US 69820307 A 19690429|
AB- <BASIC> DE 2021099 A
        Damage to keratine fibres is minimised by impregnating
    hair or wool, before bleaching at pH 8-11 with aqs.
    peroxide, with an aqs. solution containing 0.05-0.15 moles
    dissolved \mathbf{Fe}(II)-salt and a dissolved chelating agent, the
    conc. of which is 0.2-5 times the molar conc. of the salt, and
    which has a chelate-forming constant KMA with Fe (II)-ions the log of
    which is 2-8. Total ionic conc. of solution is 0.5-2.5, and
    impregnation temp. ranges between room temp. and solution b.pt. Pref.
    Fe(II) salt solution contains 0.005-0.05 moles reducing
    agent, pH is 3.5-6 and pref. chelating agents are ascorbic or citric
    acids, ethylene diamine or serine.
DE- <TITLE TERMS> BLEACH; HAIR; WOOL; AFTER; SALT;
    PRE; TREAT|
DC- D21; F06|
IC- <ADDITIONAL> D06L-000/00|
MC- <CPI> D08-B06; F03-B|
```

```
13/4/24
 DIALOG(R) File 351: DERWENT WPI
 (c)1998 Derwent Info Ltd. All rts. reserv.
AA- 94-256353/199432|
XR- <XRAM> C94-117169|
XR- <XRPX> N94-202005|
TI- Agent comprising oxidn. dye precursors, developer(s), and
    coupler(s) for simultaneous dyeing and brightening of human
    hair - contains additional mixt. comprising one or more ammonium
    salts and one or more inorganic metal salts and/or
    hydroquinonel
 PA- GOLDWELL AG (GOLD-N); GOLDWELL GMBH (GOLD-N); KAO CORP (KAOS ) |
AU- <INVENTORS> LORENZ H; MISU D|
NC- 013|
NP- 0061
 PN- DE 4331136 C1 19940825 DE 4331136
                                         A 19930914 A61K-007/13
                                                                    199432 B
                A1 19950315 EP 94113272 A 19940825 A61K-007/13
                                                                    199515
 PN- EP 642783
 PN- JP 7149618 A 19950613 JP 94218561 A 19940913 A61K-007/13
                                                                    199532
 PN- EP 642783 B1 19960306 EP 94113272 A 19940825 A61K-007/13
                                                                    199614
 PN- DE 59400147 G 19960411 DE 500147
                                         A 19940825 A61K-007/13
                                                                    199620
    <an> EP 94113272 A 19940825</a>
US 5525123 A 19960611 US 94303225 A 19940908 A61K-007/13
                                                                    1996291
 AN- <LOCAL> DE 4331136 A 19930914; EP 94113272 A 19940825; JP 94218561 A
     19940913; EP 94113272 A 19940825; DE 500147 A 19940825; EP 94113272 A
    19940825; US 94303225 A 19940908|
AN- <PR> DE 4331136 A 19930914|
 CT- 1.Jnl.Ref; DE 2028818; DE 2222001; EP 148466; EP 26473; EP 545257; JP
     47026691; US 5182110; WO 8801161; WO 8801162|
 FD- EP 642783
                A1
    <DS> (Regional): AT BE CH DE DK ES FR GB IT LI NL
 FD- EP 642783
                В1
    <DS> (Regional): AT BE CH DE DK ES FR GB IT LI NL
 FD- DE 59400147 G Based on
                                                  EP 642783|
 LA- DE 4331136(4); EP 642783(G); JP 7149618(5); EP 642783(G<PG> 6); US
    5525123(4)|
 DS- <REGIONAL> AT; BE; CH; DE; DK; ES; FR; GB; IT; LI; NL|
AB- <BASIC> DE 4331136 C
        Oxidn. dye precursor prods. based agent contg. at least one
    developing substance and at least one coupling substance contains an
    additional mixt. comprising (a) ca. 0.001-2.5 wt. % (w.r.t. total
    compsn. minus oxidn agent) at least one cpd. chosen from copper
    chloride, copper sulphate, KI, NaI, CaCl2, Ca(NO3)2, magnesium
    acetate, LiCl, potassium dichromate, Ba(NO3)3, cobalt chloride, cerium
    sulphate, cerium chloride, vanadium sulphate, MnO2, or hydroquinone;
    and (b) ca. 0.5-10 w.r.t. total compsn. minus oxidn. agent at least one
    ammonium cpd. chosen from ammonium chloride, ammonium sulphate,
    ammonium (bi)carbonate or ammonium carbamate. The agent has pH of 8-11
    following mixing with peroxide.
        The agent pref. contains ca. 0.01-1 (a) and 1-5 (b) and has a pH of
    9-10 following mixing with peroxide.
        ADVANTAGE - Simultaneous dyeing and brightening with
    increased shine of hair is obtd.
        In an example, 40 g of a mixt. comprising 12.0 wt. % cetyl stearyl
    alcohol, 2.30 coconut monoethanolamide, 2.30 stearic acid
    monoethanolamide, 0.60 propylene glycol monostearate, 5.00 oleyl
```

alcohol ethoxylate (5 mols. EO) 2.50 oleic acid, 1.00 propane-1, 2-diol, 0.50 sodium lauryl sulphate, 0.50 EDTA, 0.50 Na2SO3, 0.30

2 . . . ?

ascorbic acid, 1.00 protein hydrolysate, 0.40 perfume, 8.00 ammonia (25%), 100 H2(10.75 2,5-diaminotoluene sulphat 0.08 resorcinol, 0.10 -4-chlororesorcinol, 0.05-3- ammonium chloride, were mixed with 40 ml aq. H2O2 soln. (6%) and applied to hair strands for 15 minutes at 30 deg.C and then hair was shampooed and dried to give intense dark blood coloured hair. When the process was repeated for similar mixt. contg. no ammonium chloride less shine was obtd. whilst for similar mixt. contg. no CaCl2 insufficient dyeing was obtd. after 15 minutes.

Dwg.0/0|

AB- <EP> EP 642783 B

2 4 2 2

Composition for simultaneous **dyeing** and brightening of human **hair**, comprising at least one developing and at least one coupling agent, characterised in that it additionally contains a mixture of (a) about 0.001 to about 2.5% by wt., calculated to the total composition (excluding oxidizing agent), of at least one of the compounds copper chloride, copper sulfate, potassium iodide, sodium iodide, calcium chloride, calcium nitrate, lithium chloride, magnesium acetate, potassium bichromate, barium nitrate, cobalt chloride, cerium sulfate, cerium chloride, vanadium sulfate, manganese dioxide, and/or hydroquinone, and (b) about 0.5 to about 10% by wt., calculated to the **dyeing** composition (excluding oxidizing agent), of at least one ammonium compound selected from the group ammonium chloride, ammonium sulfate, ammonium carbonate, ammonium bicarbonate, and (or) ammonium carbamate, and (c) having a pH-value between 8.0 and 11 **after** admixture with **peroxide**.

(Dwg.0/0|

AB- <US> US 5525123 A

Composition for simultaneous **dyeing** and brightening of human **hair**, comprises at least one developing agent at least one coupling agent, and a mixture of

- (a) about 0.001 to about 2.5% by wt., calculated to the total composition excluding oxidizing agent, of at least one of the compounds selected from copper chloride, copper sulphate, potassium iodide, sodium iodide, calcium chloride, calcium nitrate, lithium chloride, magnesium acetate, potassium bichromate, barium nitrate, cobalt chloride, cerium sulphate, cerium chloride, vanadium sulphate, manganese dioxide, and/or hydroquinone, and
- (b) about 1 to about 10% by wt., calculated to the total composition excluding oxidizing agent, of at least one ammonium compound selected from ammonium chloride, ammonium sulphate, ammonium carbonate, ammonium bicarbonate, and ammonium carbamate, and
- (c) having a pH-value between 8.0 and 11 after admixture with peroxide.

Dwg. 0/01

DE- <TITLE TERMS> AGENT; COMPRISE; OXIDATION; **DYE**; PRECURSOR; DEVELOP; COUPLE; SIMULTANEOUS; **DYE**; BRIGHTEN; HUMAN; **HAIR**; CONTAIN; ADD; MIXTURE; COMPRISE; ONE; MORE; AMMONIUM; SALT; ONE; MORE; INORGANIC; METAL; SALT; HYDROQUINONE|

DC- D21; E24; P24|

IC- <MAIN> A61K-007/13|

IC- <ADDITIONAL> A45D-007/04; A61K-007/135; C09B-067/00; D06P-003/08|

MC- <CPI> D08-B06; E05-B01; E10-E02D5; E32-A04; E33-B; E33-G; E34-D02; E34-D03; E34-E; E35|

FS- CPI; EngPI||

```
13/4/113
DIALOG(R) File 351: DERWENT WPI
(c) 1998 Derwent Info Ltd. All rts. reserv.
AA- 85-052260/198509|
XR- <XRAM> C85-022738|
XR- <XRPX> N85-038906|
TI- Mfr. of coloured wood plates (e.g. veneer) - includes
   pretreatment with sulphurous acid and/or its alkali metal
    salt prior to colouration
PA- MATSUSHITA ELECTRIC WORKS LTD (MATW ) |
NC- 001|
NP- 001|
PN- JP 60008008 A 19850116 JP 83116408 A 19830627
                                                                    198509 B
AN- <LOCAL> JP 83116408 A 19830627|
AN- <PR> JP 83116408 A 19830627|
LA- JP 60008008(3)|
AB- <BASIC> JP 60008008 A
        Mfr. of plates (e.g. veneer) where a wood plate is
    bleached with hydrogen peroxide and then coloured is
    described. The wood plate is pre-treated, prior to
    colouration, with a pre-treating agent contg.
    sulphurous acid and/or its alkali metal salt so as to
    reduce the hydrogen peroxide concn. in wood plate. Pref.
    alkali sulphate is sodium hydrogen sulphite.
        USE/ADVANTAGE - Due to pre-treatment, uneven
    colouration of discolouration of the coloured wood
    plate is prevented.
DE- <TITLE TERMS> MANUFACTURE; COLOUR; WOOD; PLATE; VENEER;
    PRETREATMENT; SULPHUROUS; ACID; ALKALI; METAL; SALT; PRIOR;
    COLOUR
DC- F09; P63|
IC- <ADDITIONAL> B27K-005/02|
MC- <CPI> F05-B|
FS- CPI; EngPI||
```

A + 2 2

13/4/153 DIALOG(R) File 351: DERWENT WPI (c) 1998 Derwent Info Ltd. All rts. reserv. AA- 76-78906X/197642| TI- Glove leather prodn., of improved quality with reduced mfg time involves first tanning plus alkaline peroxide treatment then aluminium salt greasing and second tanning PA- EST LIGHT IND MIN (ELIG-R) | NC- 001| NP- 0011 197642 B PN- SU 499297 A 19760419 AN- <PR> SU 2001356 A 19740301| AB- <BASIC> SU 499297 A Glove leather prodn. giving improved quality with reduced mfg. time, involves a first tanning (using chromed skins) carried out in the presence of H2O2-NaOH soln. to neutralise, then a second tanning with Al salts after greasing with Al salts and dyeing. The process is faster than a previous method of tanning chromed skins, pickling, tanning again, neutralising and dyeing-greasing. DE- <TITLE TERMS> GLOVE; LEATHER; PRODUCE; IMPROVE; QUALITY; REDUCE; MANUFACTURE; TIME; FIRST; TAN; PLUS; ALKALINE; PEROXIDE; TREAT; ALUMINIUM; SALT; GREASE; SECOND; TAN DC- D181 IC- <ADDITIONAL> C14C-003/00|

MC- <CPI> D07-B|